

Screwdrivers – Direct Drive and Auto Reverse

A



B



TRIGGER START

PICTURE REF	TOOL TYPE	PART NUMBER	FREE SPEED	OUTPUT ⁽¹⁾	TORQUE RANGE	LENGTH	WEIGHT	AIR FLOW	AIR HOSE BORE	AIR INLET ⁽²⁾	SOUND LEVEL	VIBRATION
			r/min	hex	Nm	mm	kg	l/s	mm	BSP	dB(A)	ms ⁻²
A	2D2-PX-2300	1391264	2300	1/4"	0.3-3.0	207	1.0	8.3	10	1/4"	72	<2.5
A	2D2-PX-1450	1391004	1450	1/4"	0.5-5.0	207	1.0	8.3	10	1/4"	72	<2.5
A	2D2-PX-900	1390874	900	1/4"	0.9-9.0	207	1.0	8.3	10	1/4"	72	<2.5
A	2D2-PX-500	1390614	500	1/4"	1.4-14.0	207	1.0	8.3	10	1/4"	72	<2.5
B	2F2-PX-750	1239054	750	1/4"	1.2-12.0	215	1.5	9.4	10	1/4"	82	<2.5
B	2F2-PX-500	1239214	500	1/4"	1.8-18.0	215	1.5	9.4	10	1/4"	82	<2.5

⁽¹⁾ All types, 5/16" hex bit holder optional

⁽²⁾ NPT optional

A



B



AUTOMATIC REVERSE – FOR USE WITH RIVNUTS

PICTURE REF	TOOL TYPE	PART NUMBER	FREE SPEED	OUTPUT	TORQUE RANGE	LENGTH	WEIGHT	AIR FLOW	AIR HOSE BORE	AIR INLET ⁽¹⁾	SOUND LEVEL	VIBRATION
			r/min	hex	Nm	mm	kg	l/s	mm	BSP	dB(A)	ms ⁻²
A	2D189-LX-1100	1359784	1100	See kits	3.5	360	1.3	7.5	10	1/4"	73	<2.5
A	2D189-LX-550	1359604	550	below	7	360	1.3	7.5	10	1/4"	73	<2.5
B	2F189-PX-900	1240584	900	See kits	1.8-8.9	303	1.6	9.4	10	1/4"	82	<2.5
B	2F189-PX-600	1240744	600	below	1.6-14.0	303	1.6	9.4	10	1/4"	82	<2.5
B	2F189-PX-400	1240904	400		1.6-15.6	303	1.6	9.4	10	1/4"	82	<2.5

⁽¹⁾ NPT optional

A side handle should be fitted for torques over 10Nm

NOSE KITS

OUTPUT	PART NUMBER
M3x0.5	76552
M4x0.7	76562
M5x0.8	76572
M6x1.0	76582
M8x1.25	76592

HOW TO ORDER

1. Order tool from table above
2. Order nose kit from table